L Number	Hite	Search Text	DB	Time stamp
-	163	713/182.ccls. and @ad<20000821	USPAT;	2004/04/14 08:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	29457	person\$ with (key or password or	USPAT;	2004/04/13 10:54
		passphrase or "pass word" or "pass phrase"	US-PGPUB;	
		or "pass-word" or "pass-phrase")	EPO; JPO;	
			DERWENT; IBM TDB	
-	2021191	(access\$5 or utiliz\$5 or enter\$5 or use or	USPAT;	2004/04/12 13:55
		using or read\$5 or writing or write) with	US-PGPUB;	
		(control\$5 or configur\$5 or design\$5 or	EPO; JPO;	
		parameter\$5)	DERWENT; IBM TDB	
-	75	(713/182.ccls. and @ad<20000821) and	USPĀT;	2004/04/13 09:46
		(person\$ with (key or password or	US-PGPUB;	
		passphrase or "pass word" or "pass phrase"	EPO; JPO;	
		or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use	DERWENT; IBM TDB	
		or using or read\$5 or writing or write)		
		with (control\$5 or configur\$5 or design\$5		
_	9881	or parameter\$5)) encrypt\$ and decrypt\$ and server	USPAT;	2004/04/12 13:55
	3001	cucrybed and decrybed and server	US-PGPUB;	2004/04/12 13.33
			EPO; JPO;	
			DERWENT;	
_	25	((713/182.ccls. and @ad<20000821) and	IBM_TDB USPAT;	2004/04/12 13:55
	20	(person\$ with (key or password or	US-PGPUB;	2001,01,12 13.33
		passphrase or "pass word" or "pass phrase"	EPO; JPO;	
		or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use	DERWENT; IBM TDB	
		or using or read\$5 or writing or write)	I DIN_I DD	
		with (control\$5 or configur\$5 or design\$5		
		or parameter\$5))) and (encrypt\$ and		
_	16303	decrypt\$ and server) (person\$ with (key or password or	USPAT;	2004/04/12 13:46
		passphrase or "pass word" or "pass phrase"	US-PGPUB;	1001, 01, 11 10110
		or "pass-word" or "pass-phrase")) and	EPO; JPO;	
		((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write)	DERWENT;	
		with (control\$5 or configur\$5 or design\$5	15.1_155	
	4	or parameter\$5))		
[-	2029	((person\$ with (key or password or passphrase or "pass word" or "pass phrase"	USPAT; US-PGPUB;	2004/04/12 13:46
		or "pass-word" or "pass phrase")) and	EPO; JPO;	
		((access\$5 or utiliz\$5 or enter\$5 or use	DERWENT;	
		or using or read\$5 or writing or write)	IBM_TDB	
		<pre>with (control\$5 or configur\$5 or design\$5 or parameter\$5))) and (encrypt\$ and</pre>		
		decrypt\$ and server)		
-	681	(((person\$ with (key or password or	USPAT;	2004/04/12 13:46
		<pre>passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and</pre>	US-PGPUB; EPO; JPO;	
		((access\$5 or utiliz\$5 or enter\$5 or use	DERWENT;	
		or using or read\$5 or writing or write)	IBM_TDB	
		with (control\$5 or configur\$5 or design\$5		
		or parameter\$5))) and (encrypt\$ and decrypt\$ and server)) and @ad<20000821		
-	0	713/\$.ccls. and 380/\$.ccls	USPAT;	2004/04/12 13:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	0	713/.ccls. and 380/.ccls	USPAT;	2004/04/12 13:48
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
		<u> </u>	TON TOB	l

_	27525	713/\$.ccls. or 380/\$.ccls.	USPAT; US-PGPUB;	2004/04/12 13:54
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	29457	person\$ with (key or password or passphrase or "pass word" or "pass phrase"	USPAT; US-PGPUB;	2004/04/12 13:57
		or "pass-word" or "pass-phrase")	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , ,	DERWENT;	
	2021191	(access\$5 or utiliz\$5 or enter\$5 or use or	IBM_TDB USPAT;	2004/04/12 13:55
-	2021191	using or read\$5 or writing or write) with	US-PGPUB;	2004/04/12 13:55
1		(control\$5 or configur\$5 or design\$5 or	EPO; JPO;	
		parameter\$5)	DERWENT;	
-	9881	encrypt\$ and decrypt\$ and server	IBM_TDB USPAT;	2004/04/12 13:55
İ		1	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	394	(713/\$.ccls. or 380/\$.ccls.) and (person\$	USPĀT;	2004/04/12 14:25
		with (key or password or passphrase or	US-PGPUB;	!
		"pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and	EPO; JPO; DERWENT;	
		((access\$5 or utiliz\$5 or enter\$5 or use	IBM_TDB	
		or using or read\$5 or writing or write)		
		with (control\$5 or configur\$5 or design\$5 or parameter\$5)) and (encrypt\$ and		
		decrypt\$ and server) and @ad<20000821		
	1568	(request\$ or ask\$ or query\$) with person\$	USPAT; US-PGPUB;	2004/04/12 13:58
		with (key or password or passphrase or "pass word" or "pass phrase" or	EPO; JPO;	
		"pass-word" or "pass-phrase")	DERWENT;	
	44	((713/\$.ccls. or 380/\$.ccls.) and	IBM_TDB USPAT;	2004/04/12 14:30
_	44	(person\$ with (key or password or	US-PGPUB;	2004/04/12 14:30
		passphrase or "pass word" or "pass phrase"	EPO; JPO;	
		or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use	DERWENT; IBM TDB	
		or using or read\$5 or writing or write)	IBM_TDB	
		with (control\$5 or configur\$5 or design\$5		
		or parameter\$5)) and (encrypt\$ and decrypt\$ and server) and @ad<20000821) and		
		((request\$ or ask\$ or query\$) with person\$		
		with (key or password or passphrase or		
		"pass word" or "pass phrase" or "pass-word" or "pass-phrase"))		1
_	1156	((request\$ or ask\$ or query\$) with person\$	USPAT;	2004/04/12 14:26
		with (key or password or passphrase or	US-PGPUB;	
		"pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and	EPO; JPO; DERWENT;	
		@ad>19970821	IBM_TDB	
-	215		USPAT;	2004/04/12 14:26
		<pre>(person\$ with (key or password or passphrase or "pass word" or "pass phrase"</pre>	US-PGPUB; EPO; JPO;	
		or "pass-word" or "pass-phrase")) and	DERWENT;	
		((access\$5 or utiliz\$5 or enter\$5 or use	IBM_TDB	
		or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5		
		or parameter\$5)) and (encrypt\$ and		
		decrypt\$ and server) and @ad<20000821) and @ad>19970821		
_	118	1 T	USPAT;	2004/04/12 14:26
		(person\$ with (key or password or	US-PGPUB;	
		<pre>passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and</pre>	EPO; JPO; DERWENT;	
		((access\$5 or utiliz\$5 or enter\$5 or use	IBM_TDB	
	1	or using or read\$5 or writing or write)	_	
		with (control\$5 or configur\$5 or design\$5 or parameter\$5)) and (encrypt\$ and		
		decrypt\$ and server) and @ad<20000821) and	1	
	<u></u>	@ad>19980821	<u> </u>	<u> </u>

[_	12	(((713/\$.ccls. or 380/\$.ccls.) and	USPAT;	2004/04/12 14:27
-	12	(((71373.ccis. of 36073.ccis.) and (person\$ with (key or password or	US-PGPUB;	2004/04/12 14:2/
		passphrase or "pass word" or "pass phrase"	EPO; JPO;	
	1	or "pass-word" or "pass-phrase")) and	DERWENT;	1
		((access\$5 or utiliz\$5 or enter\$5 or use	IBM TDB	
		or using or read\$5 or writing or write)	_	
		with (control\$5 or configur\$5 or design\$5		
		or parameter\$5)) and (encrypt\$ and		
		decrypt\$ and server) and @ad<20000821) and		
		@ad>19980821) and ((request\$ or ask\$ or		
		query\$) with person\$ with (key or password		
		or passphrase or "pass word" or "pass		
_	16646	<pre>phrase" or "pass-word" or "pass-phrase")) access with digital with data</pre>	USPAT;	2004/04/12 14:32
	10040	access with digital with data	US-PGPUB;	2004/04/12 14.52
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	418	header with (correspond\$ or associat\$ or	USPAT;	2004/04/12 14:36
		incorporat\$) with (key or password or	US-PGPUB;	
		passphrase or "pass word" or "pass-word"	EPO; JPO;	
		or "pass phrase" or "pass-phrase")	DERWENT;	
	66041	annua with manuactic	IBM_TDB USPAT:	2004/04/12 14:36
-	66841	server with request\$	USPAT; US-PGPUB;	2004/04/12 14:36
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	15	(access with digital with data) and	USPĀT;	2004/04/12 14:37
		(header with (correspond\$ or associat\$ or	US-PGPUB;	
		incorporat\$) with (key or password or	EPO; JPO;	
		passphrase or "pass word" or "pass-word"	DERWENT;	
		or "pass phrase" or "pass-phrase")) and (server with request\$)	IBM_TDB	
1_	6	(("5436972") or ("5557765") or	USPAT;	2004/04/13 07:52
		("5590199")).PN.	US-PGPUB;	2004/04/13 07:32
		(0030233	EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
-		5590199.URPN.	USPAT	2004/04/13 09:46
-	10	5590199.URPN. and header	USPAT;	2004/04/13 09:46
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	8	(5590199.URPN. and header) and	USPAT;	2004/04/13 10:52
	1	@ad<20000821	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	0004/04/10 15 5
-	769	header with key with encrypt\$	USPAT;	2004/04/13 10:52
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	358	(header with key with encrypt\$) and	USPAT;	2004/04/13 10:52
		@ad<20000821	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	263091	access\$5 with control\$5	USPAT;	2004/04/13 10:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	182	(access\$5 with control\$5) and ((header	USPAT;	2004/04/13 10:53
		with key with encrypt\$) and @ad<20000821)	US-PGPUB;	,, 10 10.00
			EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

-	384932	access.ab. or accessing.ab.	USPAT;	2004/04/13 10:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	62	(access oh an accessing oh) and	<pre>IBM_TDB USPAT;</pre>	2004/04/13 10:54
-	02	<pre>(access.ab. or accessing.ab.) and ((access\$5 with control\$5) and ((header</pre>	US-PGPUB;	2004/04/13 10:54
		with key with encrypt\$) and @ad<20000821))	EPO; JPO;	
		with key with entrypty, and edd-20000021//	DERWENT;	
			IBM TDB	
_	327877	digital with data	USPĀT;	2004/04/13 10:55
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		l	IBM_TDB	
-	27	, , , , , ,	USPAT;	2004/04/13 10:55
	ļ	((access\$5 with control\$5) and ((header	US-PGPUB;	
		with key with encrypt\$) and @ad<20000821))) and (digital with data)	EPO; JPO; DERWENT;	
		ead<20000021))) and (digital with data)	IBM TDB	
_	2	("5590199").PN.	USPAT;	2004/04/13 13:24
	~	,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5499298").PN.	USPĀT;	2004/04/13 13:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		/#I 22 and / cont well with leavy # \ DNI	IBM_TDB USPAT;	2004/04/13 13:25
-	0	("L33and(controlwithkey)").PN.	US-PGPUB;	2004/04/13 13:23
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	(("5499298").PN.) and (control\$5 with key)	USPAT;	2004/04/13 13:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(#5.400000H) PN	IBM_TDB	2004/04/14 08:22
-	2	("5499298").PN.	USPAT; US-PGPUB;	2004/04/14 06:22
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	("authenticationwithserver").PN.	USPAT;	2004/04/14 08:22
1	1	·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		., ., ., ., ., .,	IBM_TDB	2004/04/14 22 22
-	11307	authentication with server	USPAT;	2004/04/14 08:22
			US-PGPUB; EPO; JPO;	
	1		DERWENT;	
		,	IBM TDB	
_	3359	(authentication with server) and	USPAT;	2004/04/14 11:40
		@ad<20000821	US-PGPUB;	
			EPO; JPO;	
	-		DERWENT;	
			IBM_TDB	
-	327877	digital with data	USPAT;	2004/04/14 08:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
l _	656	((authentication with server) and	USPAT;	2004/04/14 08:23
-	636	[@ad<20000821] and (digital with data)	US-PGPUB;	2003/03/14 00.23
		caa-20000021, and (algibal with data)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
			•	

-	5707	key and ticket and access\$5	USPAT;	2004/04/14 08:24
			US-PGPUB;	
	•		EPO; JPO; DERWENT;	
			IBM TDB	
_	95	(((authentication with server) and	USPAT;	2004/04/14 08:24
		@ad<20000821) and (digital with data)) and	US-PGPUB;	2004/04/14 00:24
		(key and ticket and access\$5)	EPO; JPO;	
		()	DERWENT;	
			IBM TDB	
-	384932	access.ab. or accessing.ab.	USPĀT;	2004/04/14 08:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	0004/04/14 10 00
_	34	((())	USPAT;	2004/04/14 10:28
		<pre>@ad<20000821) and (digital with data)) and (key and ticket and access\$5)) and</pre>	US-PGPUB; EPO; JPO;	
		(access.ab. or accessing.ab.)	DERWENT;	
		(accessing.ab.)	IBM TDB	
_	2	("5200999").PN.	USPAT;	2004/04/14 10:29
	_	,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- .	2	("5590199").PN.	USPAT;	2004/04/14 10:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	4	(("6098056") or ("6105131")).PN.	IBM_TDB USPAT;	2004/04/14 10:31
	1	((0090030) OI (0103131)).FN.	US-PGPUB;	2004/04/14 10:31
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	((("6098056") or ("6105131")).PN.) and	USPAT;	2004/04/14 11:34
		"third party"	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4	//U6202652U\ /U6011047U\\ DV	IBM_TDB	2004/04/14 11:40
-	4	(("6282653") or ("6011847")).PN.	USPAT; US-PGPUB;	2004/04/14 11:40
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	511	PGP and privacy	USPAT;	2004/04/14 11:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1 200	(DCD and maintain) and 0-3:0000001	IBM_TDB	2004/04/34 33 40
-	206	(PGP and privacy) and @ad<20000821	USPAT; US-PGPUB;	2004/04/14 11:40
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	104	((PGP and privacy) and @ad<20000821) and	USPAT;	2004/04/14 11:41
		access and key and password	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	000440445
-	10		USPAT;	2004/04/14 11:42
		access and key and password) and group and (passphrase or "pass phrase" or (pass with	US-PGPUB; EPO; JPO;	
		(passphrase or "pass phrase" or (pass with phrase) or "pass-phrase")	DERWENT;	
			IBM TDB	
-	87	(((PGP and privacy) and @ad<20000821) and	USPAT;	2004/04/14 11:43
		access and key and password) and encrypt\$	US-PGPUB;	,,
		and decrypt\$	EPO; JPO;	
			DERWENT;	
			IBM TDB	

-	32	((((PGP and privacy) and @ad<20000821) and	USPAT;	2004/04/14 11:45
		access and key and password) and encrypt\$	US-PGPUB;	
		and decrypt\$) and (digital with data)	EPO; JPO;	1
			DERWENT;	1
			IBM TDB	1
- 1	16	(((((PGP and privacy) and @ad<20000821)	USPĀT;	2004/04/14 11:45
		and access and key and password) and	US-PGPUB;	
:		encrypt\$ and decrypt\$) and (digital with	EPO; JPO;	
		data)) and (authenticat\$5 with server)	DERWENT;	
			IBM TDB	
-	14	((((((PGP and privacy) and @ad<20000821)	USPĀT;	2004/04/14 11:46
		and access and key and password) and	US-PGPUB;	
		encrypt\$ and decrypt\$) and (digital with	EPO; JPO;	
		data)) and (authenticat\$5 with server))	DERWENT;	
		and "third party"	IBM TDB	